4-Port Network USB Hub

FIH-3400

H/W Version: 1

Convert your USB 2.0 Hi-Speed devices to a Shared Local Area Network resource. The Hi-Speed USB device server provides fast Ethernet connectivity for your 2.0 Hi-Speed devices, instantly making it accessible anywhere on your LAN. The USB 2.0 Hi-Speed interface support assures seamless data transfer, thus it is most ideal for sharing a USB scanner and storage device on your existing LAN.

Versatile, flexible and intuitive networkability with almost any USB devices. The Hi-Speed USB device server allows the business or home user to improve productivity and save money by sharing a USB device among multiple LAN users. Examples of supported devices are Multi-Function or All-in-One Printers, printers, digital cameras, and dongles.

(Some high-bandwidth devices, such as high-definition webcams, may not be compatible with the FIH-3400)

1. LED Indicators
2. USB 2.0
3. Power ON/Off Button
4. DC 12V Power Jack
5. Reset Button
6. Ethernet Port

Key Features

- Share 4 USB devices on the network
- Share printer function for general USB printer and GDI printer
- Share scanner/fax function of MFP
- Support general USB storages including USB hard disk, flash drive and card reader
- Support SMB and FTP file server
- Support DHCP client
- Support easy setup through Web Browser
- Provide Windows tool on Windows 2000/XP/Vista/7

Related Products

WIH-3400
4-Port Wireless Network USB Hub

WUS-3200
Wireless 2-Port USB/MFP Server

Technical Specifications

Processor (CPU)
Ralink RT3350 MIPS 320MHz

Memory
Dynamic RANDOM Access Memory: 16Mbytes
Non-Volatile Memory: 4MBytes

Network Interface
1 x 10/100 Mbps RJ-45 Ethernet port
4 x USB 2.0 High-speed host ports

Printer Server Supported Systems
Microsoft Windows 2000/XP/Vista/7

File Server Supported Systems
Microsoft Windows 2000/XP/Vista/7
Support FAT32, ftp Server
Support Unicode SMB/CIFS Server on Windows 2000/XP/
Vista/7 will be supported in the near future through firmware
upgrades.

Printer/Scan/Fax Server Protocols
Net USB

Scan Server Supported Systems
Microsoft Windows 2000/XP/Vista/7

MFP Function
Printing, Scanning and PC Fax

Management
Web pages for configuration, monitoring and firmware
upgrade
Windows utility for installation, configuration and monitoring

F/W Upgrade
Internal Web pages, Windows Tool, TFTP, (UDS Control Ceter)

LEDs
Power, LINK, ACT, USB1, USB2, USB3, USB4

Power Supply
12VDC/1.5A

Power Consumption
18W

Physical Specification
Operating Temperature: 5~-40°C
Operating Humidity 0~70%(Non-condensing)
Dimension: (W x D x H) 128 x 99 x 25mm
Weight: 165g

EMI and Safety
N/A

Product Diagram

FIH-3400

Ethernet Cable (RJ-45)
USB 2.0

Wi-Fi Router

NB

NB

PC

PC

USB Driver

USB DVD ROM

Printer

MFP

PC

Order Information	**FIH-3400:** 4-Port Network USB Hub
Package Contents	FIH-3400 x 1
	Power Adapter x 1
	CD manual/Utility x 1
	QIG x1