



LevelOne IP Camera Quick Installation Guide



Quick Installation Guide

This QIG applies to : FCS-1010/1030/1040/1050/1060/1070/3000

WCS-2010/2030/2040/2060/2070

Software Installation


Please insert the CD-ROM that comes with the LevelOne IP camera packet.

The installation page should pop up. If you do not see the pop up, please go into the CD-ROM directory and click on AutoRun.exe


Click "Install Software".




Click "Installation Wizard".



Please follow the wizard by clicking “Next”.




Click “Finish” to complete the installation.




Click “Installation Wizard” on your Windows Desktop.




Please choose the IP Camera by MAC address and click “Link to selected device”.




Initial login will have a Window pop up, please click “yes”.



Install Active X.



Complete installation.



Wireless installation

This applies to WCS-2010/2030/2040/2060/2070

Login to the web configuration page, click on Wireless LAN.

Configurations - Microsoft Internet Explorer

http://192.168.10.101/setup/config.html

LEVELONE WBS-2060
WIRELESS P/T IP NETWORK CAMERA

Configuration

HOME

- System
- Security
- Network
- Wireless LAN
- DDNS
- Access list
- Audio and video
- Camera control
- Email and FTP
- Motion detection
- Application
- System log
- View parameters
- Maintenance

Version: 0200c

Wireless LAN configuration

SSID: default

Wireless mode: Infrastructure

Channel: 6

TX rate: Auto

Security: None

Save

SSID : Enter the SSID of your wireless AP.

Wireless Mode : Infrastructure, if your network is in multiple AP clients to AP mode.
Ad-Hoc : If your network is in point to point connection.

Security : Please match the security setting of your AP.

Please press “save” after configuration, and then unplug your power cord and RJ-45 LAN cable. Insert Power cord in; do not insert RJ-45 LAN cable. LevelOne IP camera should automatically connect to the preset AP.

Surveillance System QIG

Please insert the CD-ROM that comes with the LevelOne IP camera packet.

The installation page should pop up. If you do not see the pop up, please go into the CD-ROM directory and click on AutoRun.exe.


Click “Install Software”.




Click “Surveillance Software”.




Click “Next”.



Click “Yes”.




Please input the User Name and Company Name then click “Next”.



Please input the Password for accessing the surveillance software and then click “Next”.




Choose your path of installation, click “Next”.




Click “Next”.



Click “Next”.




Click “Finish” to complete installation.




Please click on the Monitor for Surveillance System on your Windows Desktop.



Authentication Windows should pop up, please input the Username as “root” , the password is the preset during installation.




The surveillance window should appear.




If the window does not pop up, please right click on the icon and choose “Monitor”.




Click on the icon then choose “Camera Configuration”.




Click “Yes”.




Click “Insert”.




Input the IP address of your LevelOne IP camera, default port is 80 and password then click on “OK”.



Adding the camera.



When the configuration page pops up, the setting is done. Click on "Save".



Click "OK".



Complete.

Channel

1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	16

Layout

Hard Disk Status

Usage: 55%

FreeSpace: 1634092 KB

Common

PTZ	DUDO	Alert Msg	Talk
1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	16

01 WCS-2000 2000/01/01 11:39:54 AM



0 day: 00:00

Surveillance System

Surveillance System

Surveillance System

Auto switch channel every 5 second(s).

01:23:14 pm User: root Logged in when: 2006/08/09 02:21:01 PM Surveillance System Version 2.0.0.13